

Specification Sheet

BM701

SEMI GLOSS MC80

HIGH TACK



FACE:

A white, woodfree, on machine coated, SC mid-gloss paper. A multi-purpose label paper for high quality multicolour labels requiring good print definition and fine detail.

Thickness 69 micron $\pm 5\%$

Basic weight 80 gsm $\pm 5\%$

ADHESIVE:

A rubber based, permanent adhesive with high initial tack and final adhesion.

Initial Tack High

Final Adhesion Very high

Min. App.Temp -5°C

Temp Range -40°C to $+70^{\circ}\text{C}$

UV Resistance Poor

This adhesive is manufactured to meet the requirements of the FDA and BGVV food for direct contact with dry and moist non fatty foodstuff.

LINER:

A supercalendered glassine paper. Specially designed for high speed conversion, punching and perforation. Good calliper consistency allows accurate kiss-diecutting. The papers translucent qualities are perfectly suited to automatic label applicators.

Thickness 56 micron $\pm 5\%$

Basic Weight 61 gsm $\pm 5\%$

SHELF LIFE:

2 years when stored at 22°C / 50% RH

The above specification is based on information obtained from the original manufacturer and is offered in good faith in accordance with the companies conditions to determine fitness for use. No guarantee is offered or implied. It is the ultimate users responsibility to fully test the material and determine its suitability for the application intended. Measurements and test results are nominal. In accordance with a policy of continuous product improvement the manufacturer reserves the right to amend the specification without notice.